

NUVOCO VISTAS CORPORATION LIMITED
SONADIH CEMENT PLANT

P.O. RASEDA – 493332, DISTT.- BALODA BAZAR- BHATAPARA, CHHATTISGARH

ENVIRONMENTAL CLEARANCE

For Line 1 Letter No. F. No. J-11011/28/2002-IA-II (I) dated 23/10/2002 & letter dtd 30/12/2002 & 03/06/2004 and for expansion of Cement Plant from 1.50 to 3.50 MPTA (Phase-2)
F.No.J-11011/386/2005-IA-II (I) dated 16/03/2006 , Amendment letter dtd 05/05/2006, name change letter dtd 20.10.2017

Monitoring Data for the Month of February 2019

A. Stack Emission :

S.N.	Stack Attached to	Pollution Control Equipment	CECB STD (Max.)	Particulate Matter* (Mg/NM ³)
01	Kiln & Raw mill (Line1)	Hybrid Filter	30 mg/NM ³	23
02	Kiln & Raw mill (Line 2)	Bag House	30 mg/NM ³	21
03	Clinker cooler (Line1)	ESP	30 mg/NM ³	24
04	Clinker cooler (Line 2)	Bag house	30 mg/NM ³	20
05	Coal mill (Line1)	Bag Filter	30 mg/NM ³	23
06	Coal mill (Line 2)	Bag Filter	30 mg/NM ³	22
07	Cement mill	Bag Filter	30 mg/NM ³	21
08	Lime stone crusher	Bag Filter	30 mg/NM ³	22


Note: * Spot test results, CEMS reading for: PM < 30 mg/NM³ NOx < 800 mg/NM³ SO₂ < 100 mg/NM³

B. Ambient Air Quality :

Pollutants	CECB STD (Max.)	AAQ (Monthly Average) (All values in Microgram/M ³)			
		Ambient Air Quality Monitoring Stations			
		Near Time office	Near LS Crusher	Near Material Gate	Near Scrap yard
PM -10	100	65	66.4	70	76.8
PM -2.5	60	38.2	31.1	36.2	36.2
SO _x	80	8.3	13.2	23	13.1
NO _x	80	22.7	11.5	12.8	11.7
CO	2000	<10	BDL	1278	576
Noise level	75/70 dB(A)	Noise level is <70 dB(A) in Day time / <65 dB(A) during Night time			

C. Discharge Water Quality : Treated water of Sewage Treatment Plant - Used for Horticulture purpose

S.N.	Pollutants	PCB Standard (Max)	Results obtained
1	P ^H	5.5-9.0	7.1
2	Suspended Solids	100 mg/Ltr	67
3	Chemical Oxygen Demand (COD)	250 mg/Ltr	92
4	Bio-Chemical Oxygen Demand (BOD)	30 mg/Ltr	14


Ramesh Warke
Sr. Vice President
Nuvoco Vistas Corp. Ltd.

Sonadih Cement Plant : P.O. : Raseda, Dist. Balodabazar - Bhatapara, Chhattisgarh - 493 332, India Phone : +91 (0) 7727 272224/225/226

Corporate & Registered Office : Equinox Business Park , Tower 3, East Wing, 4th Floor, Off Bandra - Kurla Complex, LBS Marg, Kurla (West), Mumbai - 400 070, Maharashtra

Tel : (91-22) 66306511/6769 2500, Fax : (91-22) 66306510

Web site : www.nuvoco.in

CIN - U26940MH1999PLC118229