

**ARASMETA CEMENT PLANT OF M/S NUVOCO VISTAS CORP.LTD.
VILLAGE ARASMETA, PO- GOPALNAGAR, DISTT.
JANJGIR - CHAMPA, CHHATTISGARH**

CONSENT TO OPERATE

PLANT: - AIR Consent Letter No. 3454/TS/CECB/2018 dated 23/07/2018 for Cement 22.4 Lacs MT/Annum
Water Consent Letter No. 3452/TS/CECB/2018 dated 23/07/2018 for Cement 22.4 Lacs MT/Annum

D.G Set: - AIR & Water Consent Letter No. 3666/TS/CECB/2020 date 21/07/2020 for 3 x 6 = 18 MW.

Monitoring Data For the Month of Oct` 2020

A. Stack Emission – Consent Condition for Particulate matter -Max. 30 mg/Nm³

S.N.	Stack Attached to	PCEs	Particulate Matter (Mg/Nm ³)
1	KILN & RAW MILL -1	Bag Filter	SD
2	PC & RAW MILL -2	Bag Filter	SD
3	COOLER	ESP	SD
4	COAL MILL -1	Bag Filter	SD
5	COAL MILL -2	Bag Filter	SD
6	CEMENT MILL -1	Bag Filter -1	15.9
7	CEMENT MILL -1	Bag Filter -2	17.4
8	CEMENT MILL -2	ESP	13.4
9	CEMENT MILL -2	Bag Filter	15.0
10	DG-3	-	NR
11	DG-4	-	NR
12	DG-5	-	NR

SD-Shut down, NR- Not running ND-Not done

B. Ambient Air Quality –

Pollutants	Ambient Air Quality (Monthly Average)				
	LOCATION				
	NAAQ STD.	Near Wagon Tippler - East	Near Main Security Gate - West	Near Rail way TXR Office -North	Near Old Truck Tippler (Near Petrol Pump) – South
PM10 (µg/m3)	100	62.4	55.2	54.6	52.8
PM2. 5 (µg/m3)	60	38.5	34.1	35.3	32.9
Sulphur Dioxide SO2 (µg/m3)	80	10.9	12.3	12.5	11.7
Nitrogen Dioxide NO2 (µg/m3)	80	17.4	16.9	16.1	18.3
Carbon Monoxide CO (mg/m3)	4	0.24	0.26	0.22	0.3


C- Discharge Water Quality:

Cement plant maintained Zero Discharge, for cooling water close circuit arrangement, Plant domestic water discharge through Sock pit. Sewage Treatment Plant installed in colony for treatment of Domestic wastewater, Treated water used for Horticulture purpose.

Quality of Treated water of STP:

S.N.	Pollutants	Monthly average Results	CECB Standard (Max)
1	pH	7.3	5.5 - 9.0
2	Suspended Solids	69	100 mg/Ltr.
3	Chemical Oxygen Demand (COD)	68	250 mg/Ltr
4	Biological Oxygen Demand (BOD)	27	30 mg/Ltr
5	Oil & Grease	<1	10 mg/Ltr

For Nuvoco Vistas Corp.Ltd
(Arasmeta Cement Plant)


(Tarun Kumar)
Asst. Vice President -ACP

Nuvoco Vistas Corp. Ltd.

Arasmeta Cement Plant, P.O. Gopalnagar, Dist. Janjgir – Champa, Chhattisgarh – 495663 (India)

Website: www.nuvoco.in | CIN. U26940MH1999PLC118229

Registered Office: Equinox Business Park, Tower.3, East Wing, 4th Floor, LBS Road, Kurla (West), Mumbai 400070



**ARASMETA LIMESTONE MINES OF M/S NUVOCO VISTAS CORP.LTD
VILLAGE ARASMETA, DISTT. JANJGIR - CHAMPA, CHHATTISGARH**

Environment clearance

Letter No. J11015/64/2003- IA, II (M) GOI, and MoEF dated 18/7/2005 for production of 2.7 MTPA for Arasmeta Limestone mine.

CONSENT TO OPERATE

Air Consent Letter NO. 3357/TS/CECB/2017 Date 21/09/2017 for 2.7 MTPA
Water Consent Letter NO. 3355/TS/CECB/2017 Date 21/09/2017 for 2.7 MTPA

Monitoring Data for the Month Oct` 2020

KEY PARAMETERS

A) STATIC INFORMATION

1	MINE LEASE AREA	:	499.987 Hect.
2	PRODUCTION	:	2.7 MTPA
3	LEASE DURATION	:	31/03/ 2030
4	DATE OF COMMENCEMENT OF WORK	:	Mines operated since 1982

B) DYNAMIC PARAMETERS

(i) Ambient Air Quality

Parameters	NAAQ STD	Ambient Air Quality Monitoring Station							
		Pit Boundary (East)		Mines office (West)		Colony (North)		Arasmeta village (South)	
		I	II	I	II	I	II	I	II
PM10	100µg/m3	53.8	54.6	55.3	52.8	50.7	51.1	51.6	53.3
PM2. 5	60 µg/m3	33.4	35.7	36.8	32.9	31.5	30.4	32.8	33.6
Sulphur Dioxide SO2	80(µg/m3	11.5	11	10.1	11.6	12.4	10.8	10.3	10.6
Nitrogen Dioxide NO2	80(µg/m3	14.6	14.1	16.3	15.9	15.4	14.4	14.2	15.3
Carbon Monoxide CO	4 mg/m3	0.25	0.24	0.21	0.2	0.23	0.22	0.2	0.23

BDL - Below Detection Limit-

(ii) Vibration (PPV) 1.9/ Sec at the distance of 300 meter from blast site.


(iii) Quality of Discharge Water:- Zero Discharge Water From Mines

1	Total Dissolved Solid (TDS)	:	-	-
2	Dissolved Oxygen(DO)	:	-	-
3	PH	:	-	-
4	Total Suspended solids (TSS)	:	-	-

(iv) Greenbelt/Plantation

1	Nos. of Trees planted till date -	1044897 Around Plant, Colony & Included Arasmeta Mines & Harihar project (up to Sep 2020)
2	Calendar year wise (progressive)	2019
		5000
		2020
		5000

For Nuvoco Vistas Corp.Ltd
(Arasmeta Cement Plant)


(Tarun Kumar)
Asst. Vice President -ACP

Nuvoco Vistas Corp. Ltd.

Arasmeta Cement Plant, P.O. Gopalnagar, Dist. Janjgir – Champa, Chhattisgarh – 495663 (India)

Website: www.nuvoco.in | CIN. U26940MH1999PLC118229

Registered Office: Equinox Business Park, Tower.3, East Wing, 4th Floor, LBS Road, Kurla (West), Mumbai 400070

**KIRARI LIMESTONE MINES OF M/S NUVOCO VISTAS CORP.LTD
VILLAGE KIRARI - CHORBHATTI
DISTT. JANJGIR - CHAMPA, CHHATTISGARH**

Environment clearance

Environment clearance. Letter No. J11015/23/2002- IA, II (M) GOI, and MoEF dated 9/12/2003 for production of 0.36 MTPA for Kirari Limestone mine.

CONSENT TO OPERATE

Air Consent Letter NO. 2290/RO/TS/CECB/2018 Date 04/08/2018 for 0.36 MTPA
Water Consent Letter NO. 2289/RO/TS/CECB/2018 Date 04/08/2018 for 0.36 MTPA

Monitoring Data For the Month of Oct` 2020

KEY PARAMETERS										
A) STATIC INFORMATION										
1	MINE LEASE AREA	:	167.048 Hect.							
2	PRODUCTION	:	0.36 MTPA							
3	LEASE DURATION	:	25/08/2050							
4.	DATE OF COMMENCEMENT OF WORK		Mines operated since 2006							
B) DYNAMIC PARAMETERS										
(i)	Ambient Air Quality									
			Ambient Air Quality Monitoring Station							
	Parameters	NAAQ STD	Mines office (North)		Kirari (South)		Banhil (West)		Chorbatti (East)	
			I	II	I	II	I	II	I	II
	PM10	100µg/m3	52.8	50.2	50.9	51.3	52.4	53.4	53.7	52.7
	PM2. 5	60 µg/m3	33.6	30.8	30.4	32.4	34.1	33.7	35.9	31.8
	Sulphur Dioxide SO2	80(µg/m3	10.7	9.7	9.6	8.6	8.3	8.1	8.1	7.9
	Nitrogen Dioxide NO2	80(µg/m3	14.5	13.6	13.9	12.8	12.7	13.2	13.2	12.7
	Carbon Monoxide CO	4 mg/m3	0.22	0.24	0.21	0.25	0.25	0.21	0.24	0.22
(ii)	Vibration (PPV)	ND /sec- at the distance of 200 meter from blast site.								
(iii)	Quality of Discharge Water:- Zero Discharge Water From Mines									
1	Total Dissolved Solid (TDS)	:	-							
2	Dissolved Oxygen(DO)	:	-							
3	PH	:	-							
4	Total Suspended solids (TSS)	:	-							
(iv)	Greenbelt/Plantation									
1	Nos of Trees planted till date -		49860 nos. Plantation at Kirari Mines (Upto Sep 2020)							
2	Calendar year wise (progressive)		2019				2020			
			2000 Nos.				2500 Nos.			

For Nuvoco Vistas Corp.Ltd
(Arasmeta Cement Plant)


18/11

(Tarun Kumar)
Asst. Vice President -ACP

Nuvoco Vistas Corp. Ltd.

Arasmeta Cement Plant, P.O. Gopalnagar, Dist. Janjgir – Champa, Chhattisgarh – 495663 (India)

Website: www.nuvoco.in | CIN. U26940MH1999PLC118229

Registered Office: Equinox Business Park, Tower.3, East Wing, 4th Floor, LBS Road, Kurla (West), Mumbai 400070

**CHILHATI LIMESTONE MINES OF M/S NUVOCO VISTAS CORP.LTD
VILLAGE CHILHATI
DISTT. BILASPUR, CHHATTISGARH**

Environment clearance

Environment clearance. Letter No. J-11015/210/2010-IA.II (M) GOI and MoEF dated 18/9/2014 for production of 4.0 MTPA for Chilhati Limestone mine.

CONSENT TO OPERATE

Air Consent Letter NO. 1009/TS/CECB/2018 Date 18/04/2018 for 1.38 MTPA
Water Consent Letter NO. 1007/TS/CECB/2018 Date 18/04/2018 for 1.38 MTPA

Monitoring Data for the Month of Oct 20

KEY PARAMETERS																	
A) STATIC INFORMATION																	
1	MINE LEASE AREA		:		1085.365 Hect.												
2	PRODUCTION		:		1.38 MTPA												
3	LEASE DURATION		:		2065												
4.	DATE OF COMMENCEMENT OF WORK				Mines operated since 19 th April 2017												
B) DYNAMIC PARAMETERS																	
(i) Ambient Air Quality																	
Ambient Air Quality Monitoring Station																	
Parameters (µg/m ³)	Mines office		Drilling Area		Haulage Road		Loading Area		Chilhathi Village		Jaitpuri Village		Semradih Village		Pataidih Village		
	I	II	I	II	I	II	I	II	I	II	I	II	I	II	I	II	
PM10	51.6	53.3	NR	NR	53.7	51.8	NR	NR	49.9	50.2	52.1	53.6	50.6	52.3	51.1	49.6	
PM2.5	30.2	34.5	NR	NR	32.7	31.5	NR	NR	29.6	30.8	33.4	34.2	31.2	32.3	32.9	28.8	
Sulphur Dioxide SO ₂	8.2	7.1	NR	NR	7.7	6.9	NR	NR	7.4	6.7	6.6	7.2	8.3	7.5	7.9	6.9	
Nitrogen Dioxide NO ₂	13.6	13.1	NR	NR	11.7	12.5	NR	NR	12.8	11.8	11.4	12.3	12.5	11.4	12.3	12.1	
Carbon Monoxide CO	0.23	0.21	NR	NR	0.2	0.23	NR	NR	0.23	0.22	0.24	0.24	0.18	0.2	0.22	0.21	
NAAQ STD- PM10-100 µg/m³, PM2.5-60 µg/m³ SO₂ & NO₂-80 µg/m³ and CO-4 mg/m³																	
(ii) Vibration (PPV) Nil / Sec at the distance of 200 meter from blast site.																	
(iii) Quality of Discharge Water:- Zero Discharge Water From Mines																	
1	Total Dissolved Solid (TDS)		:		-												
2	Dissolved Oxygen(DO)		:		-												
3	PH		:		-												
4	Total Suspended solids (TSS)		:		-												
(iv) Greenbelt/Plantation																	
1	Nos. of Trees planted till date -				16963 nos. Plantation at Chilhati Mines												
2	Calendar year wise (progressive)				2019						2020						
			2378						3800								

ND – Not done (Due to Mines not in operation)

For Nuvoco Vistas Corp.Ltd
(Arasmeta Cement Plant)



(Tarun Kumar)
Asst. Vice President –ACP

Nuvoco Vistas Corp. Ltd.

Arasmeta Cement Plant, P.O. Gopalnagar, Dist. Janjgir – Champa, Chhattisgarh – 495663 (India)

Website: www.nuvoco.in | CIN. U26940MH1999PLC118229

Registered Office: Equinox Business Park, Tower.3, East Wing, 4th Floor, LBS Road, Kurla (West), Mumbai 400070